

# Table of contents

<b>WOOD STOVES (EPA) - SMALL</b>	4
PYROPAK - DB03180	4
ROCKET - DB03185	5
<b>WOOD STOVES (EPA) - MEDIUM</b>	6
BLACKCOMB - DB02810	6
COLUMBIA - DB03015	7
DECO - DB03200	8
ELDORADO - DB02610	9
JURASSIEN - DB03000	10
OPTIMA - DB03210	11
SAVANNAH - DB03025	12
<b>WOOD STOVES (EPA) - LARGE</b>	13
CLASSIC WITH BLOWER - DB03081	13
EASTWOOD 1800 - DB03161	14
ESCAPE 1800 - BRUSHED NICKEL DOOR - DB03111	15
ESCAPE 1800 -BLACK DOOR - DB03102	16
ESCAPE 1800 ON LEGS - BRUSHED NICKEL DOOR - DB03112	17
<b>WOOD STOVES (EPA) - EXTRA LARGE</b>	18
AUSTRAL - DB03030	18
AUSTRAL II - DB03031	19
BALTIC - DB03040	20
BALTIC II - DB03041	21
HT2000 - DB07200	22
LEGEND - DB03070	23
LEGEND II - DB03071	24
MYRIAD - DB03050	25
MYRIAD II - DB03051	26
<b>WOOD STOVES (NON-EPA) - SMALL</b>	27
HUNTER - DB00400	27
<b>WOOD FURNACES (EPA) - MEDIUM</b>	28
HEATMAX WOOD FURNACE - DF01000	28
TUNDRA WOOD FURNACE - DF02000	29
<b>WOOD INSERTS (EPA) - MEDIUM</b>	30
ESCAPE 1400 WOOD INSERT - DB03120	30
ESCAPE 1400 WOOD INSERT TRIO - DB03122	31
<b>WOOD INSERTS (EPA) - LARGE</b>	32
ESCAPE 1800-I WOOD INSERT - DB03125	32
<b>PELLET STOVES (EPA) - MEDIUM</b>	33
ECO-45 - DP00045	33
<b>PELLET STOVES (EPA) - LARGE</b>	34
ECO-65 - DP00060	34
<b>MINIMUM CLEARANCES TO COMBUSTIBLES</b>	35

# PYROPAK



**Manufacturer code**  
DB03180

**List price**  
**\$969,00**

**UPC code** 773388016375



## OPTIONS

List price

AC01318	• FIRE SCREEN	\$140,00
AC01331	• 5" FRESH AIR INTAKE KIT	\$110,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 40 000 BTU/h
• Height X Width X Depth - Overall	: 27 3/8" X 22 5/8" X 21 7/8"
• Maximum log length	: 17"
• Weight	: 246 lb (112 kg)
• Firebox volume (cu. ft.)	: 1.3
• Recommended Heating Area (sq. ft.)	: 250 - 1 000
• Recommended chimney diameter (inches)	: 6

## ROCKET



Manufacturer code  
DB03185

List price  
\$889,00

UPC code 773388043111



## OPTIONS

List price

AC01318	• FIRE SCREEN	\$140,00
AC01331	• 5" FRESH AIR INTAKE KIT	\$110,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 40 000 BTU/h
• Height X Width X Depth - Overall	: 26 3/4" X 22 5/8" X 20 3/4"
• Maximum log length	: 17"
• Weight	: 233 lb (106 kg)
• Firebox volume (cu. ft.)	: 1.3
• Recommended Heating Area (sq. ft.)	: 250 - 1 000
• Recommended chimney diameter (inches)	: 6

# BLACKCOMB



**Manufacturer code**  
DB02810

**List price**  
**\$1399,00**

**UPC code** 773388071947



## OPTIONS

List price

AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 60,000 BTU/h
• Height X Width X Depth - Overall	: 29" X 25 5/8" X 22 1/8"
• Maximum log length	: 20"
• Weight	: 307 lb (139 kg)
• Firebox volume (cu. ft.)	: 1.9
• Recommended Heating Area (sq. ft.)	: 850-1600 pi.cu.
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

## WOOD STOVES (EPA) - MEDIUM

# COLUMBIA



Manufacturer code  
DB03015

List price  
**\$1399,00**

UPC code 773388071954



## OPTIONS

List price

AC01338	• FRESH AIR INTAKE KIT WOOD STOVE ON LEGS	\$239,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 60 000 BTU/h
• Height X Width X Depth - Overall	: 27 5/8" X 26 1/8" X 22 1/8"
• Maximum log length	: 20"
• Weight	: 301 lb (137 kg)
• Firebox volume (cu. ft.)	: 1.9
• Recommended Heating Area (sq. ft.)	: 850 - 1600
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

## DECO



Manufacturer code  
DB03200

List price  
**\$1379,00**

UPC code 773388054537

### OPTIONS

List price

AC01319	• FIRE SCREEN	\$140,00
AC01334	• FRESH AIR INTAKE KIT	\$89,00
AC01335	• AIR MATE	\$49,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

### FEATURES

• Maximum output - seasoned cord wood	: 65,000
• Height X Width X Depth - Overall	: 34" X 26 5/8" X 20 1/8"
• Maximum log length	: 22"
• Weight	: 330 lb (150 kg)
• Firebox volume (cu. ft.)	: 1.6
• Recommended Heating Area (sq. ft.)	: 500-1700

## WOOD STOVES (EPA) - MEDIUM

# ELDORADO



Manufacturer code  
DB02610

List price  
**\$1359,00**

UPC code 773388081267



## OPTIONS

List price

AC01342	• FIRE SCREEN	<b>\$129,00</b>
AC02055	• QUICK CONNECT THERMODISC KIT	<b>\$64,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 55,000 BTU/h
• Height X Width X Depth - Overall	: 28 7/8" X 22 3/4" X 27 3/4"
• Maximum log length	: 17"
• Weight	: 270 lb (122 kg)
• Firebox volume (cu. ft.)	: 1.7
• Recommended Heating Area (sq. ft.)	: 500 - 1,500
• Blower Included	: Yes
• Mobile Home Approved	: Yes

**JURASSIEN**

**Manufacturer code**  
DB03000

**List price**  
**\$1849,00**

**UPC code** 773388030005

\*\*\*LIMITED QUANTITIES\*\*\*

**OPTIONS**

List price

AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02080	• 5" FRESH AIR INTAKE KIT	\$85,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

**FEATURES**

• Maximum output - seasoned cord wood	: 55,000 BTU/h
• Height X Width X Depth - Overall	: 29 3/8" X 31" X 22 1/8"
• Maximum log length	: 19"
• Weight	: 418 lb (190 kg)
• Firebox volume (cu. ft.)	: 1.47
• Recommended Heating Area (sq. ft.)	: 500 - 1,500
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6



## OPTIMA



Manufacturer code  
DB03210

List price  
**\$1509,00**

UPC code 773388055749

## OPTIONS

List price

AC01319	• FIRE SCREEN	<b>\$140,00</b>
AC01334	• FRESH AIR INTAKE KIT	<b>\$89,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 65,000
• Height X Width X Depth - Overall	: 34" X 26 5/8" X 23 1/8"
• Maximum log length	: 22"
• Weight	: 330 lb (150 kg)
• Firebox volume (cu. ft.)	: 1.6
• Recommended Heating Area (sq. ft.)	: 500-1700
• Blower Included	: Yes

**SAVANNAH**

Manufacturer code  
DB03025

List price  
**\$1389,00**

UPC code 773388081250

**OPTIONS**

List price

AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC01342	• FIRE SCREEN	\$129,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

**FEATURES**

• Maximum output - seasoned cord wood	: 55,000 BTU/h
• Height X Width X Depth - Overall	: 30 3/8" X 22 1/4" X 27 3/4"
• Maximum log length	: 17"
• Weight	: 291 lb (132 kg)
• Firebox volume (cu. ft.)	: 1.7
• Recommended Heating Area (sq. ft.)	: 500 - 1,500
• Mobile Home Approved	: Yes

## CLASSIC WITH BLOWER



Manufacturer code  
DB03081

List price  
**\$1549,00**

UPC code 773388045580



## OPTIONS

List price

AC01337	• FRESH AIR INTAKE KIT	<b>\$159,00</b>
AC02055	• QUICK CONNECT THERMODISC KIT	<b>\$64,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 75,000 BTU/h
• Height X Width X Depth - Overall	: 30 1/8" X 25 1/4" X 28 7/8"
• Maximum log length	: 20"
• Weight	: 333 lb (151 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 800 - 2,000
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6

**EASTWOOD 1800**

Manufacturer code  
DB03161

List price  
**\$1429,00**

UPC code 773388045597

**OPTIONS**

List price

AC01337	• FRESH AIR INTAKE KIT	<b>\$159,00</b>
AC02055	• QUICK CONNECT THERMODISC KIT	<b>\$64,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC03095	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL	<b>\$199,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

**FEATURES**

• Maximum output - seasoned cord wood	: 75 000 BTU/h
• Height X Width X Depth - Overall	: 30 1/8" X 25 1/4" X 25 5/8"
• Maximum log length	: 20"
• Weight	: 324 lb (147 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 800 - 2,000

## WOOD STOVES (EPA) - LARGE

# ESCAPE 1800 - BRUSHED NICKEL DOOR



Manufacturer code  
DB03111

List price  
**\$1759,00**

UPC code 773388055862



## OPTIONS

List price

AC01315	• FIRE SCREEN	\$140,00
AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC03095	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL	\$199,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 75,000 BTU/h
• Height X Width X Depth - Overall	: 32 5/8" X 25 5/8" X 26 3/4"
• Maximum log length	: 20"
• Weight	: 380 lb (172 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

WOOD STOVES (EPA) - LARGE

ESCAPE 1800 -BLACK DOOR



Manufacturer code  
DB03102

List price  
\$1599,00

UPC code 773388069579



OPTIONS

List price

AC01315	• FIRE SCREEN	\$140,00
AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC03095	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL	\$199,00
AC05530	• THERMODISC KIT	\$30,00

FEATURES

• Maximum output - seasoned cord wood	: 75,000 BTU/h
• Height X Width X Depth - Overall	: 32 5/8" X 25 5/8" X 26 3/4"
• Maximum log length	: 20"
• Weight	: 380 lb (172 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 500 - 2100
• Mobile Home Approved	: Yes

## WOOD STOVES (EPA) - LARGE

# ESCAPE 1800 ON LEGS - BRUSHED NICKEL DOOR



Manufacturer code  
DB03112

List price  
**\$1799,00**

UPC code 773388055879



## OPTIONS

List price

AC01315	• FIRE SCREEN	\$140,00
AC01316	• FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$120,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC03095	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL	\$199,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 75,000 BTU/h
• Height X Width X Depth - Overall	: 30 1/4" X 26 1/8" X 26 7/8"
• Maximum log length	: 20"
• Weight	: 380 lb (172 kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

## WOOD STOVES (EPA) - EXTRA LARGE

# AUSTRAL



Manufacturer code  
DB03030

List price  
**\$1649,00**

UPC code 773388030302

\*\*\*LIMITED QUANTITIES\*\*\*



## OPTIONS

List price

AC02055	• QUICK CONNECT THERMODISC KIT	<b>\$64,00</b>
AC02080	• 5" FRESH AIR INTAKE KIT	<b>\$85,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 85,000 BTU/H
• Height X Width X Depth - Overall	: 30 3/8" X 23 3/4" X 34"
• Maximum log length	: 20"
• Weight	: 367 lb (166 kg)
• Firebox volume (cu. ft.)	: 3.1
• Recommended Heating Area (sq. ft.)	: 500 - 2100
• Blower Included	: Yes
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6



WOOD STOVES (EPA) - EXTRA LARGE

AUSTRAL II



Manufacturer code  
DB03031



List price  
\$1599,00

UPC code 773388110431



OPTIONS

List price

		List price
AC01341	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	To come
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

FEATURES

• Maximum output - seasoned cord wood	: 90,000 BTU/H
• Height X Width X Depth - Overall	: 31 1/2" X 23 3/4" X 29 3/4"
• Maximum log length	: 20"
• Firebox volume (cu. ft.)	: 3.4
• Recommended Heating Area (sq. ft.)	: 900 - 2100
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6"

## WOOD STOVES (EPA) - EXTRA LARGE

# BALTIC



Manufacturer code  
DB03040

List price  
**\$1769,00**

UPC code 773388030401

\*\*\*LIMITED QUANTITIES\*\*\*



## OPTIONS

List price

AC02055	• QUICK CONNECT THERMODISC KIT	<b>\$64,00</b>
AC02080	• 5" FRESH AIR INTAKE KIT	<b>\$85,00</b>
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	<b>\$33,00</b>
AC05530	• THERMODISC KIT	<b>\$30,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 85,000 BTU/h
• Height X Width X Depth - Overall	: 31 1/4" X 23 3/4" X 35"
• Maximum log length	: 17"
• Weight	: 384 lb (174 kg)
• Firebox volume (cu. ft.)	: 3.1
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Blower Included	: Yes
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

WOOD STOVES (EPA) - EXTRA LARGE

**BALTIC II**



Manufacturer code  
DB03041



List price  
**\$1749,00**

UPC code 773388110448



**OPTIONS**

List price

AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

**FEATURES**

• Maximum output - seasoned cord wood	: 90,000 BTU/h
• Height X Width X Depth - Overall	: 32 3/8" X 23 3/4" X 30 7/8"
• Maximum log length	: 20"
• Firebox volume (cu. ft.)	: 3.4
• Recommended Heating Area (sq. ft.)	: 900 - 2,100
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6"

## WOOD STOVES (EPA) - EXTRA LARGE

# HT2000



Manufacturer code  
DB07200

List price  
**\$2049,00**

UPC code 773388072005



## OPTIONS

List price

AC02050	• BLOWER ASSEMBLY WITH VARIABLE SPEED CONTROL (UP TO 100 CFM)	\$175,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 100,000 BTU/h
• Height X Width X Depth - Overall	: 34 3/8 X 28 1/8" X 29 3/8"
• Maximum log length	: 22"
• Weight	: 486 lb (220 kg)
• Firebox volume (cu. ft.)	: 3.7
• Recommended Heating Area (sq. ft.)	: 1,000 - 2,400
• Recommended chimney diameter (inches)	: 6

## WOOD STOVES (EPA) - EXTRA LARGE

### LEGEND



**Manufacturer code**  
DB03070

**List price**  
**\$1799,00**

**UPC code** 773388030708

\*\*\*LIMITED QUANTITIES\*\*\*



### OPTIONS

List price

AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02080	• 5" FRESH AIR INTAKE KIT	\$85,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

### FEATURES

• Maximum output - seasoned cord wood	: 85,000 BTU/h
• Height X Width X Depth - Overall	: 30 1/4" X 26 7/8" X 35"
• Maximum log length	: 20"
• Weight	: 412 lb (187 kg)
• Firebox volume (cu. ft.)	: 3.2
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

## WOOD STOVES (EPA) - EXTRA LARGE

### LEGEND II



Manufacturer code  
DB03071

New

List price  
\$1879,00

UPC code 773388113128



### OPTIONS

List price

Option Code	Description	List price
AC01341	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	To come
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

### FEATURES

• Maximum output - seasoned cord wood	: 90,000 BTU/h
• Height X Width X Depth - Overall	: 31 5/8" X 24 3/8" X 35"
• Maximum log length	: 20"
• Firebox volume (cu. ft.)	: 3.4
• Recommended Heating Area (sq. ft.)	: 900 - 2,100
• Blower Included	: Yes
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6"

## WOOD STOVES (EPA) - EXTRA LARGE

# MYRIAD



Manufacturer code  
DB03050

List price  
**\$1699,00**

UPC code 773388030500

\*\*\*LIMITED QUANTITIES\*\*\*



## OPTIONS

List price

AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02080	• 5" FRESH AIR INTAKE KIT	\$85,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

## FEATURES

• Maximum output - seasoned cord wood	: 85,000 BTU/h
• Height X Width X Depth - Overall	: 31 3/8" X 23 3/4" X 34"
• Maximum log length	: 20"
• Weight	: 380 lb (172 kg)
• Firebox volume (cu. ft.)	: 3.1
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Blower Included	: Yes
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 6

WOOD STOVES (EPA) - EXTRA LARGE

MYRIAD II



Manufacturer code  
DB03051



List price  
\$1799,00

UPC code 773388113111



OPTIONS

List price

AC01336	• 5" FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$69,00
AC02055	• QUICK CONNECT THERMODISC KIT	\$64,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC05530	• THERMODISC KIT	\$30,00

FEATURES

• Maximum output - seasoned cord wood	: 90,000 BTU/h
• Height X Width X Depth - Overall	: 32 3/4" X 24 1/4" X 34 7/8"
• Maximum log length	: 18"
• Weight	: 420 lb (191 kg)
• Firebox volume (cu. ft.)	: 3.4
• Recommended Heating Area (sq. ft.)	: 750 -2,300
• Blower Included	: Yes
• Mobile Home Approved	: Yes



**WOOD STOVES (NON-EPA) - SMALL**

**HUNTER**



**Manufacturer code**  
DB00400

**List price**  
**\$279,00**

**UPC code** 773388004006

Camp stove (for recreational use only).

**OPTIONS**

List price

---

AC07600	• REFRACTORY BRICK 4" X 8 1/8" X 1 1/4" (MASTER PACK OF 9)	\$3,25
---------	--	--------

**FEATURES**

- 
- |  |                               |
|--|-------------------------------|
| • Height X Width X Depth - Overall             | : 23 3/8" X 12 5/8" X 22 7/8" |
| • <b>Maximum log length</b>                    | : <b>20"</b>                  |
| • <b>Weight</b>                                | : <b>56 lb</b>                |
| • <b>Recommended chimney diameter (inches)</b> | : <b>6</b>                    |

# HEATMAX WOOD FURNACE



Manufacturer code  
DF01000

List price  
**\$3099,00**

UPC code 773388075709



## OPTIONS

List price

AC01390	• AIR FILTER WITH SUPPORT	<b>\$59,00</b>
AC01392	• COLD AIR RETURN HOUSING WITH FILTER	<b>\$155,00</b>
AC05558	• DIGITAL WALL THERMOSTAT	<b>\$89,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 125,000 BTU/h
• Height X Width X Depth - Overall	: 39 3/8" X 26 1/4" X 49 1/4"
• Maximum log length	: 22"
• Hot air plenum dimensions (Depth X Width)	:
• Cold air plenum dimensions (Depth X Width)	:
• Weight	: 603 lb (274 kg)
• Maximum Input Capacity	: 125,000 BTU
• Firebox volume (cu. ft.)	: 3.6
• Recommended Heating Area (sq. ft.)	: 500 - 2,500
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6

# TUNDRA WOOD FURNACE



Manufacturer code  
DF02000

List price  
**\$3099,00**

UPC code 773388075716



## OPTIONS

List price

AC01390	• AIR FILTER WITH SUPPORT	\$59,00
AC01392	• COLD AIR RETURN HOUSING WITH FILTER	\$155,00
AC05558	• DIGITAL WALL THERMOSTAT	\$89,00

## FEATURES

• Maximum output - seasoned cord wood	: 125,000 BTU/H
• Height X Width X Depth - Overall	: 39 3/8" X 26 1/4" X 49 1/4"
• Maximum log length	: 22"
• Hot air plenum dimensions (Depth X Width)	:
• Cold air plenum dimensions (Depth X Width)	:
• Weight	: 590 lb (268 KG)
• Maximum Input Capacity	: 125,000 BTU
• Firebox volume (cu. ft.)	: 3.6
• Recommended Heating Area (sq. ft.)	: 500 - 2,500
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6

# ESCAPE 1400 WOOD INSERT



Manufacturer code  
DB03120

List price  
**\$1569,00**

UPC code 773389027578



## OPTIONS

List price

AC01298	• FRESH AIR INTAKE KIT OVAL -5" DIAMETER	\$55,00
AC02006	• LINER FASTENING SYSTEM	\$85,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00
AC03350	• REGULAR FACEPLATE 29" X 44" WITH NICKEL TRIM KIT	\$200,00
AC03360	• LARGE FACEPLATE 32" X 50" WITH NICKEL TRIM KIT	\$240,00
VOLKI-625	• 6" VORTEX STAINLESS FLEX LINER KIT (25 ft) FOR INSERTS	\$539,00
VOLKI-635	• 6" VORTEX STAINLESS FLEX LINER KIT (35 ft) FOR INSERTS	\$719,00

## FEATURES

• Maximum output - seasoned cord wood	: 60,000 BTU/h
• Height X Width X Depth - Overall	: 21" X 28 3/8" X 23 3/8"
• Maximum log length	: 20"
• Minimum fireplace opening (Height X Width X Depth)	: 21 3/8" X 28 7/8" X 12 3/4"
• Weight	: 329 lb (149 kg)
• Firebox volume (cu. ft.)	: 1.9
• Recommended Heating Area (sq. ft.)	: 500 - 1,600
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6

## ESCAPE 1400 WOOD INSERT TRIO



**Manufacturer code**  
DB03122

**List price**  
**\$2199,00**

**UPC code** 773388092560

Items included: one Escape 1400 wood insert (DB03120), one 29" x 44" faceplate (AC03350) and one insert flexible liner kit (VOLKI-625, containing 25 feet of Vortex flexible stainless steel liner (6" dia.), one Vortex stainless insert connector, one 13" x 13" Vortex stainless steel top plate, one Vortex stainless steel chimney cap with no screen).



### OPTIONS

List price

AC01298	• FRESH AIR INTAKE KIT OVAL -5" DIAMETER	\$55,00
AC02006	• LINER FASTENING SYSTEM	\$85,00
AC02090	• INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT (4' LONG, 5" DIA.)	\$33,00

### FEATURES

• Maximum output - seasoned cord wood	: 60,000 BTU/h
• Height X Width X Depth - Overall	: 21" X 28 3/8" X 23 3/8"
• Maximum log length	: 20"
• Minimum fireplace opening (Height X Width X Depth)	: 21 3/8" X 28 7/8" X 12 3/4"
• Weight	: 421 lb
• Firebox volume (cu. ft.)	: 1.9
• Recommended Heating Area (sq. ft.)	: 500 - 1,600
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6"

# ESCAPE 1800-I WOOD INSERT



**Manufacturer code**

DB03125

**List price**

**\$1749,00**

**UPC code** 773388058887



## OPTIONS

List price

<b>AC01298</b>	• FRESH AIR INTAKE KIT OVAL -5" DIAMETER	<b>\$55,00</b>
<b>AC01315</b>	• FIRE SCREEN	<b>\$140,00</b>
<b>AC01317</b>	• HEAT SHIELD FOR SURROUND/SHELF	<b>\$100,00</b>
<b>AC02006</b>	• LINER FASTENING SYSTEM	<b>\$85,00</b>
<b>AC03370</b>	• REGULAR FACEPLATE 29" X 44" WITH NICKEL TRIM KIT	<b>\$200,00</b>
<b>AC03375</b>	• LARGE FACEPLATE 32 X 50" WITH NICKEL TRIM KIT	<b>\$240,00</b>
<b>VOLKI-625</b>	• 6" VORTEX STAINLESS FLEX LINER KIT (25 ft) FOR INSERTS	<b>\$539,00</b>
<b>VOLKI-635</b>	• 6" VORTEX STAINLESS FLEX LINER KIT (35 ft) FOR INSERTS	<b>\$719,00</b>

## FEATURES

• Maximum output - seasoned cord wood	: 75,000 BTU/h
• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
• Maximum log length	: 20"
• Minimum fireplace opening (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Weight	: 396 lb (180kg)
• Firebox volume (cu. ft.)	: 2.4
• Recommended Heating Area (sq. ft.)	: 500 - 2,100
• Blower Included	: Yes
• Recommended chimney diameter (inches)	: 6

## ECO-45



Manufacturer code  
DP00045

List price  
**\$3159,00**

UPC code 773389027899



## OPTIONS

List price

AC01240	• 3" FRESH AIR INTAKE KIT	\$55,00
AC01276	• DECORATIVE MASONRY-LIKE PANELS 45-SERIES	\$129,00
AC01278	• DECORATIVE LOG SET 45-SERIES	\$109,00
AC01314	• HOPPER EXTENSION 45-SERIES	\$269,00
AC02012	• THERMOSTATIC ON/OFF REMOTE CONTROL	\$189,00
AC02019	• SEALING BOX FOR FRESH AIR KIT-45 SERIES	\$79,00
AC05558	• DIGITAL WALL THERMOSTAT	\$89,00
AC05568	• PROGRAMMABLE THERMOSTATIC REMOTE CONTROL	\$239,00
VOPKB04	• 4" VORTEX PELLETT VENT BASEMENT KIT	\$949,00
VOPKGF03	• 3" VORTEX PELLETT VENT GROUND FLOOR KIT	\$649,00
VOPKGF04	• 4" VORTEX PELLETT VENT GROUND FLOOR KIT	\$749,00

## FEATURES

• Height X Width X Depth - Overall	: 32 3/4" X 25 1/4" X 28 3/8"
• Weight	: 278 lb (127 kg)
• Recommended Heating Area (sq. ft.)	: 500 - 2000
• Electronic igniter	: Yes
• Thermostatic or manual mode	: Yes
• Mobile Home Approved	: Yes
• Combustion Technology	: Combex
• Maximum Combustion Time	: 45 h max
• Hopper capacity	: 60 lb (27 Kg)
• Maximum Capacity	: 45,000 BTU/h
• Minimum Capacity	: 8,200 BTU/h

## ECO-65



**Manufacturer code**  
DP00060

**List price**  
**\$4149,00**

**UPC code** 773388089393



## OPTIONS

List price

AC01240	• 3" FRESH AIR INTAKE KIT	\$55,00
AC01330	• HOT AIR PLENUM KIT 3 1/4" x 10"	\$115,00
AC02012	• THERMOSTATIC ON/OFF REMOTE CONTROL	\$189,00
AC05558	• DIGITAL WALL THERMOSTAT	\$89,00
AC05568	• PROGRAMMABLE THERMOSTATIC REMOTE CONTROL	\$239,00
VOPKB04	• 4" VORTEX PELLETT VENT BASEMENT KIT	\$949,00
VOPKGF04	• 4" VORTEX PELLETT VENT GROUND FLOOR KIT	\$749,00




## FEATURES

• Height X Width X Depth - Overall	: 41 1/8" X 24" X 34 1/4"
• Weight	: 439 lb (199 kg)
• Recommended Heating Area (sq. ft.)	: 800 - 2,600
• Electronic igniter	: Yes
• Thermostatic or manual mode	: Yes
• Blower Included	: Yes
• Mobile Home Approved	: Yes
• Recommended chimney diameter (inches)	: 4"
• Combustion Technology	: BOTTOM-FEED
• Maximum Combustion Time	: 92 h max
• Hopper capacity	: 125 lb (57 Kg)
• Maximum Capacity	: 65,000 BTU/h
• Minimum Capacity	: 10,500 BTU/h






# Minimum clearances to combustibles

## Wood stoves

		This appliance is 	This appliance is 	Alcove approved	Single walled pipe			Double walled pipe		
					Back	Sides	Corners	Back	Sides	Corners
					AUSTRAL	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7"
AUSTRAL II	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	9"	24"	16"	6"	24"	16"
BALTIC	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6"	12"	9"	6"	12"	9"
BALTIC II	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"	12"	10"	6"	12"	10"
BLACKCOMB	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	14"	12"	7"	6"	11"	5"
CLASSIC WITH BLOWER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	26"	12"	15"	26"	12"
COLUMBIA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	14"	12"	7"	6"	11"	5"
DECO	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15"	21"	11"	13"	21"	11"
EASTWOOD 1800	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	26"	12"	15"	26"	12"
ELDORADO	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	19"	21"	16"	12"	21"	12"
ESCAPE 1800 - BRUSHED NICKEL DOOR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	17"	10"	6"	17"	5"
ESCAPE 1800 - BRUSHED NICKEL DOOR AND LEGS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	17"	10"	6"	17"	5"
ESCAPE 1800 -BLACK DOOR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	17"	10"	6"	17"	5"
ESCAPE 1800 ON LEGS - BRUSHED NICKEL DOOR	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15"	17"	10"	6"	17"	5"
HT2000	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	19"	19"	11"	10"	14"	8"
HUNTER	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	48"	48"	48"	48"	48"	48"
JURASSIEN	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14"	8"	10"	7"	8"	6"
LEGEND	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6"	12"	9"	6"	12"	9"

Effective February 1st 2015




# Wood stoves

		This appliances is 	This appliances is 	Alcove approved	Single walled pipe			Double walled pipe		
					Back	Sides	Corners	Back	Sides	Corners
					LEGEND II	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	12"
MYRIAD	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7"	23"	16"	6"	24"	17"
MYRIAD II	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	9"	24"	16"	6"	24"	16"
OPTIMA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13"	21"	11"	13"	21"	11"
PYROPAK	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15"	18"	10"	10"	18"	10"
ROCKET	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15"	18"	10"	10"	18"	10"
SAHARA - BRUSHED NICKEL DOOR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16"	15"	9"	10"	15"	9"
SAVANNAH	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	19"	21"	16"	12"	21"	12"

# Wood inserts

	This appliances is <b>EPA</b> certified	This appliances is <b>EPA &lt; 45 g/h</b> & Washington State Certified	Combustible side mantle to unit	Combustible side wall to unit	Combustible top mantle to unit	Combustible shelf to unit (Canada)	Minimum floor protection in front of unit		Projection in the room minimum / maximum
							Canada	USA	
ESCAPE 1400 WOOD INSERT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10"	13"	22"	29"	18"	16"	1 3/4" / 3 1/2"
ESCAPE 1400 WOOD INSERT TRIO	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10"	13"	22"	29"	18"	16"	1 3/4" / 3 7/8"
ESCAPE 1800-I WOOD INSERT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12"	16"	20"	22"	18"	16"	1 3/4" / 3 3/4"

## Pellet stoves

				Back	Sides	Corners
ECO-45	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2"	6"	2"H / 3"V
ECO-65	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3"	6"	3"