1101 - Wood Burning Insert

Heating up to 1,600 sq. ft.

The 1101 wood burning insert won a prestigious industry award for its unique design, which allows for flush mount or hearth mount installation, in either a masonry or factory built fireplace. Featuring an elegantly designed, full view single door, standard WHISPER QUIET heat circulating blower & thermostatic sensor, this innovative design transforms small amounts of wood into large amounts of cozy heat. Customize your 1101 insert with an optional cast iron surround kit that will enhance your décor, available in porcelain enamel Majolica brown or painted black finishes.

1101 Up to 55,000 BTU's 44 ½"w x 31 ¼"h as shown EPA Certified

For more detailed specifications on these units, see page 27

Options & Accessories



Webbed Arched Doors Three Colour Options*



Arched Doors Three Colour Options*





Spring Door Handle Three Colour Options*



Two Colour Options*



Standard Flashing Complete with Black Trim**



*Refer to options & accessories section on pages 22-23 for more details **Trim also available in polished brass finish



1101 shown with standard black flashing, satin chrome plated arched door and matching spring door handle



1402 - Wood Burning Insert

Heating up to 2,000 sq. ft.

What do you do with your existing inefficient masonry fireplace? Retrofit with an efficient Napoleon' wood burning insert! Through easy operation, you achieve clean burning fires, radiating luxurious heat with a minimal amount of work and wood. Designed to be the perfect fit, this stylish insert will bring you years of satisfaction and of course... the beauty of a natural roaring fire with incomparable efficiencies! The deluxe 1402 wood burning insert comes complete with surround and trim, plus two powerful heat circulating 200 CFM blowers.

1402 Up to 70,000 BTU's 44 ½"w x 31 ¼"h as shown EPA Certified

For more detailed specifications on these units, see page 27

Options & Accessories





Finishes Available in painted metallic black and porcelain black finishes



Cast Iron Surrounds Two Colour Options*



Standard Flashing Complete with Black Trim**



Spring Door Handle Three Colour Options*



Webbed Arched Doors Three Colour Options*





Arched Doors Three Colour Options*



1402 shown in painted metallic black finish





1402 shown with standard black flashing, painted metallic black door and matching spring door handle



Outstanding Features

of Napoleon's Advanced Technology



Help Protect The Environment With A Napoleon[®] Wood Burning Stove or Insert

Heating your home with a Napoleon^{*} high efficiency, EPA (Environmental Protection Agency) approved fireplace, stove or insert releases no more carbon dioxide than a dying tree would lying on the forest floor. In fact, when the entire carbon cycle is considered, a Napoleon^{*} EPA approved fireplace heats your home more efficiently and with less impact on the environment than any other heating fuel option.

Dual Vortex[®] Action

To achieve an extraordinary clean burn without a catalytic combustor, horizontal jets of super heated secondary air are mixed with the fires smoke to burn off released smoke particles. You can actually watch the spirals of secondary flames just below the top during most of the burn.

Vortex[®] Baffle - Lifetime Warranty*

Manufactured from high density material, Napoleon's exclusive Vortex" baffles provide an unprecedented level of durability while ensuring complete combustion resulting in a clean burning, environmentally friendly wood burning stove. *See dealer for details

Secondary Air Tube - Kiln Construction

Napoleon's secondary air tube is insulated with ceramic fibre and protected with a stainless steel cover plate, ensuring complete combustion. This fully lined refractory firebox acts as a kiln, concentrating the maximum amount of heat to efficiently heat your home.

WHISPER QUIET Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.